


For Animal Use Only



Reg. No.: G1921 (Act 36/1947)

For use by or under the control of a veterinarian only.

INDICATIONS
 For the vaccination of healthy dogs, cats, cattle and sheep as an aid in preventing rabies.

STORAGE INSTRUCTIONS
 Store between 2 °C and 7 °C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.

COMPOSITION
Defensor 3 is prepared from cell-culture-grown, chemically-inactivated rabies virus. The seed virus is a highly immunogenic, fixed strain of rabies virus which originated from Louis Pasteur's original isolate in 1882. The inactivated virus is formulated with a highly purified adjuvant and a dual buffering system that restricts the pH to a very narrow safe range with an outstanding comfort of administration profile. It is packaged in a liquid form.

WARNINGS
 Do not vaccinate within 21 days before slaughter.
 Keep out of reach of children and uninformed persons.
 Use entire contents when first opened.
 Contains gentamicin and thimerosal as preservatives.
 As with any vaccine, anaphylaxis may occur after use. Initial antidote of adrenaline is recommended and should be followed with appropriate supportive therapy.
 Although this vaccine has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE
Use only as directed.


Dogs and Cats:
General Directions: Shake well. Aseptically administer 1 ml subcutaneously. Dogs may be vaccinated intramuscularly or subcutaneously.
Primary Vaccination: Administer a single 1 ml dose at 3 months of age or older to healthy dogs and cats. A repeat dose should be administered 1 year later.
Revaccination: Subsequent revaccination every 3 years with a single dose is recommended.

Cattle and Sheep:
General Directions: Shake well. Aseptically administer 2 ml intramuscularly.
Primary Vaccination: Administer a single 2 ml dose at 3 months of age or older to healthy cattle and sheep. A repeat dose should be administered 1 year later.
Revaccination: Annual revaccination with a single dose is recommended.

Burn containers and all unused contents.

REGISTRATION HOLDER
 Zoetis South Africa (Pty) Ltd
 Co. Reg. No.: 2012/001825/07
 P.O. Box 783720, Sandton 2146
 South Africa
 Tel. (011) 245 3300 or 0860 ZOETIS (0860 963847)
 U.S. Veterinary License No. 190
 Manufactured by:
 Zoetis Inc, 601 West Cornhusker Hwy, Lincoln, Nebraska 68521, USA

Namibia: V93/24.1/405 [NSO]



11/2016
50262500

Slegs Vir Dieregebruik



Reg. Nr.: G1921 (Wet 36/1947)

Slegs vir gebruik deur of onder die beheer van 'n veearts.

INDIKASIES
 Vir die inenting van gesonde honde, katte, beeste en skape as 'n hulpmiddel vir die voorkoming van hondsdolheid.

BERGINGSAAHWYSINGS
 Berg tussen 2 °C en 7 °C. Verlengde blootstelling aan hoër temperatuur mag die sterkte nadelig beïnvloed. Moet nie bevries nie.

SAMESTELLING
Defensor 3 is voorberei vanaf groei op selkultuur van chemies-geïnaktiveerde hondsdolheid virus. Die stamvirus is 'n hoogs-immunogeniese, gevestigde stam van hondsdolheid virus wat sy oorsprong het vanaf Louis Pasteur se oorspronklike isolaat in 1882. Die geïnaktiveerde virus is geformuleer met 'n hoogsgesuiwerde adjuvant, 'n dubbele buffer sisteem wat die pH beperk tot 'n baie noue, veilige spektrum met 'n uitstekende gemak van toedieningsprofiel. Dit word verpak in 'n vloeistof vorm.

WAARSKUWINGS
 Moet nie binne 21 dae voor slag inent nie.
 Hou buite bereik van kinders en oningeligte persone.
 Gebruik die hele inhoud nadat eerste keer oopgemaak is.
 Bevat gentamisien en timerosal as preserveermiddels.
 Soos met enige entstof mag anafilakse voorkom na gebruik. Die gebruik van die aanvanklike teenmiddel, adrenalien, word aanbeveel en moet opgevolg word met toepaslike ondersteuningsterapie.
 Alhoewel hierdie entstof breedvoerig onder 'n wye verskeidenheid van toestande getoets word, mag dit faal a.g.v. verskeie redes. Indien dit vermoed word raadpleeg 'n veearts en verwittig die registrasiehouer.

GEBRUIKSAANWYSINGS
Gebruik slegs soos aangedui.

Honde en Katte:
Algemene aanbeveling: Skud goed. Dien asepties 1 ml onderhuids toe. Honde mag binnespiers of onderhuids ingeënt word.
Primêre inenting: Dien 'n enkele 1 ml dosis toe op 3 maande ouderdom of ouer aan gesonde honde en katte. 'n Skraagdosie moet 1 jaar later toegedien word.
Herinenting: Opeenvolgende herinentings elke 3 jaar met 'n enkele dosis word aanbeveel.

Beeste en Skape:
Algemene aanbeveling: Skud goed. Dien asepties 2 ml binnespiers toe.
Primêre inenting: Dien 'n enkele 2 ml dosis toe op 3 maande ouderdom of ouer aan gesonde beeste en skape. 'n Skraagdosie moet 1 jaar later toegedien word.
Herinenting: Jaarlikse herinenting met 'n enkele dosis word aanbeveel.

Verbrand houers en alle ongebruikte inhoud.



REGISTRASIEHOUER
 Zoetis South Africa (Pty) Ltd
 Mpy. Reg. Nr.: 2012/001825/07
 Posbus 783720, Sandton 2146
 Suid-Afrika
 Tel. (011) 245 3300 of 0860 ZOETIS (0860 963847)
 U.S. Veterinary License No. 190

Namibië: V93/24.1/405 [NSO]



11/2016
50262500

Time/Date: 50262500.indd 1 12/28/16 9:06 AM

zoetis		Project No.	Artwork DIR No.	Component Material No.	Description	Country
		14412	50262500	40015367	Defensor 3	South Africa
		Dimensions		Drawing No.	FG Material No.	DIR Type/Description
		3.5" x 9" (folds to 3.5" x 2.25")		N/A	10002495	Z63/Insert
Additional Info:		Colors:  Black		 Dieline		<input type="checkbox"/> EDITOR'S COPY GS: DATE:
GS	G. Woods	Rev	GA	PR	GS / ART REV (LCA)	GS / ART REV (FA)
GA	C. Farrer/J. Disch	2			CHANGES OK	CHANGES OK

Document Approvals

Tad Kastl	Lincoln - Plant Coordinator 13-Jan-2017 17:02:41 GMT+0000
Stephanie Kuhn	South Africa - MRO Lead 16-Jan-2017 08:56:20 GMT+0000
Carolyn Hoy	Lincoln - Site QA 19-Jan-2017 17:58:31 GMT+0000
Stephanie Kuhn	South Africa - External Agency 20-Jan-2017 09:01:10 GMT+0000
Michele Brettmann	United States - External Agency 06-Mar-2017 18:22:02 GMT+0000