

LABEL: OUTER CONTAINER

FOR ANIMAL USE ONLY

SLEGS VIR DIEREGBRUIK

CAZITEL PLUS TABLETS

Reg. No. G4024 Act/Wet 36/1947

PORK FLAVOUR • VARK GEURSEL

**Worm remedy against ascarids, hookworms, whipworms and tapeworms in dogs.
Wurmmiddel teen askariedes, haakwurms, sambokwurms en lintwurms in honde.**

STORAGE • BERGING

Store in a cool, dry place • Berg in 'n koel, droë plek

Contains • Bevat

Each tablet contains/Elke tablet bevat

Praziquantel/Prasikwantel	50 mg
Pyrantel pamoate/Pirantel pamoat	144 mg
Febantel	150 mg

FOR FULL INSTRUCTIONS SEE ENCLOSED PACKAGE INSERT
VIR VOLLE BESONDERHEDE SIEN INGESLOTE VOUBILJET

2, 4, 6, 8, 10, 20, 24, 48, 50, 100, 104 TABLETS/TABLETTE

Registration holder/Registrasiehouer:

BURKE ANIMAL HEALTH (Pty) Ltd

Co./Mpy. Reg. No. 1996/00721/07

20 Marbella, 12 Strydom Street, Birchleigh North 1618, R.S.A.

Tel: 011 391 3275

Lot No.:

Expires/Verval:

APPLICATION FOR PARALLEL REGISTRATION

Registered: Prazitel Plus Tablets (G3908)

Parallel: Cazitel Plus Tablets

SUBMITTED: 25/01/2013

Page 1 of 4

LABEL: IMMEDIATE CONTAINER

FOR ANIMAL USE ONLY

SLEGS VIR DIEREGBRUIK

CAZITEL PLUS TABLETS

Reg. No. G4024 Act/Wet 36/1947

PORK FLAVOUR • VARK GEURSEL

**Worm remedy against ascarids, hookworms, whipworms and tapeworms in dogs.
Wurmmiddel teen askariedes, haakwurms, sambokwurms en lintwurms in honde.**

STORAGE • BERGING

Store in a cool, dry place • Berg in 'n koel, droë plek

Contains • Bevat

Each tablet contains/Elke tablet bevat

Praziquantel/Prasikwantel	50 mg
Pyrantel pamoate/Pirantel pamoaat	144 mg
Febantel	150 mg

FOR FULL INSTRUCTIONS SEE ENCLOSED PACKAGE INSERT
VIR VOLLE BESONDERHEDE SIEN INGESLOTE VOUBILJET

2, 4, 6, 8, 10, 20, 24, 48, 50, 100, 104 TABLETS/TABLETTE

Registration holder/Registrasiehouer:

BURKE ANIMAL HEALTH (Pty) Ltd

Co./Mpy. Reg. No. 1996/00721/07

20 Marbella, 12 Strydom Street, Birchleigh North 1618, R.S.A.

Tel: 011 391 3275

Lot No.:

Expires/Verval:

APPLICATION FOR PARALLEL REGISTRATION

Registered: Prazitel Plus Tablets (G3908)

Parallel: Cazitel Plus Tablets

SUBMITTED: 25/01/2013

Page 2 of 4

PACKAGE INSERT

FOR ANIMAL USE ONLY

CAZITEL PLUS TABLETS

Reg. No. G4024 Act 36/1947

PORK FLAVOUR

STORAGE INSTRUCTIONS

Store in a cool, dry place.

INDICATIONS

Worm remedy against ascarids, hookworms, whipworms and tapeworms in dogs.

COMPOSITION

Praziquantel	50 mg
Pyrantel pamoate	144 mg
Febantel	150 mg

WARNINGS

- DO NOT EXCEED RECOMMENDED DOSE WHEN TREATING PREGNANT BITCHES.
- DO NOT USE SIMULTANEOUSLY WITH PIPERAZINE COMPOUNDS.
- Keep out of reach of children, uninformed persons and animals.
- Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

PRECAUTIONS

- Consult a veterinarian before treating pregnant bitches for roundworms.
- Tapeworm infestation is certain to re-occur unless control of intermediate hosts such as fleas, mice, etc. is undertaken.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Can be administered directly, mixed with meat or crushed and mixed with feed.

Feeding or fasting before or after treatment is not necessary.

SLEGS VIR DIEREGBRUIK

PRAZIVET PLUS TABLETTE

Reg. No. G4024 Act 36/1947

VARK GEURSEL

BERGINSANWYSINGS

Berg in 'n koel, droë plek.

AANWYSINGS

Wurmmiddel teen askariedes, haakwurms, sambok-wurms en lintwurms in honde.

SAMESTELLING

Prasikwantel	50 mg
Pirantel pamoat	144 mg
Febantel	150 mg

WAARSKUWINGS

- MOENIE DIE VOORGESKREWE DOSIS OORSKRY WANNEER DRAGTIGE TEWE BEHANDEL WORD NIE.
- MOENIE SAAM MET PIPERASIEN-GEBASEERDE PRODUKTE GEBRUIK NIE.
- Hou buite bereik van oningeligte persone, kinders en diere.
- Alhoewel hierdie middel breedvoerig onder 'n wye verskeidenheid van toestande getoets is, mag dit faal as gevolg van verskeie redes. Indien dit vermoed word, raadpleeg 'n veearts en verwittig die registrasiehouer.

VOORSORGMATREËLS

- Raadpleeg 'n veearts voor behandeling van tewe vir rondewurms.
- Lintwurm besmetting sal sekerlik weer voorkom tensy die tussen gashere bv. vlooië en muise beheer word.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS AANGEDUI

Kan direk toegedien word, óf met vleis gemeng, óf verkrummel en met kos gemeng.

Dit is onnodig om diere te voer of uit te hongers voor- of na toediening.

DOSAGE

Puppies and small dogs 0.5 – 10 kg

(Pekingese, Maltese, Pug, Chihuahua)

½ - 2 kg body mass = ¼ CAZITEL Plus tablet

3 – 5 kg body mass = ½ CAZITEL Plus tablet

6 – 10 kg body mass = 1 CAZITEL Plus tablet

Medium dogs 11 – 20 kg

(Spaniel, Corgi and larger breed puppies)

11 – 15 kg body mass = 1 ½ CAZITEL Plus tablets

16 – 20 kg body mass = 2 CAZITEL Plus tablets

21 – 25 kg body mass = 2 ½ CAZITEL Plus tablets

26 – 30 kg body mass = 3 CAZITEL Plus tablets

Large dogs over 20 kg

(Rotweiler, Doberman, German Shepard, Great Dane)

31 - 35 kg body mass = 3 ½ CAZITEL Plus tablets

46 – 40 kg body mass = 4 CAZITEL Plus tablets

Extra large breeds

Dose according to body mass = 1 Tablet per 10 kg

- For the control of *Toxocara*, nursing bitches should be dosed 2 weeks after whelping and every 2 weeks until weaning.
- Puppies should be treated at 2 weeks of age and every 2 weeks until 12 weeks of age. Thereafter, they should be treated at 3 month intervals. It is advisable to treat the bitch at the same time as the puppies.
- For routine control adult dogs should be treated every 3 months. In the event of heavy roundworm infestation a repeat dose can be given after 14 days.

EFFICACY

• Highly effective against:

Ascarid (*Toxocara canis*)

Hookworm (*Ancylostoma caninum*)

Tapeworms (*Diplylidium caninum*, *Taenia hydatigena*)

• Effective against:

Whipworm (*Trichuris vulpis*)

Registration holder:

BURKE ANIMAL HEALTH (Pty) Ltd

Co. Reg. No. 1996/00721/07

20 Marbella, 12 Strydom Street, Birchleigh North

1618, R.S.A.

Tel: 011 391 3275

DOSIS

Jong hondjies en klein honde 0.5 – 10 kg

(Pekinees, Maltees, Mopshond, Chihuahua)

½ - 2 kg liggaamsmassa = ¼ CAZITEL Plus tablette

3 – 5 kg liggaamsmassa = ½ CAZITEL Plus tablette

6 – 10 kg liggaamsmassa = 1 CAZITEL Plus tablette

Medium grootte hond 11 – 20 kg

(Patryshond, Korgi en groter ras jong hondjies)

11 – 15 kg liggaamsmassa = 1 ½ CAZITEL Plus tablette

16 – 20 kg liggaamsmassa = 2 CAZITEL Plus tablette

21 – 25 kg liggaamsmassa = 2 ½ CAZITEL Plus tablette

26 – 30 kg liggaamsmassa = 3 CAZITEL Plus tablette

Groot honde meer as 20 kg

(Rotweiler, Doberman, Duitse Herdershond, Deense hond)

31 - 35 kg liggaamsmassa = 3 ½ CAZITEL Plus tablette

46 – 40 kg liggaamsmassa = 4 CAZITEL Plus tablette

Extra groot rasse

Doseer volgens liggaamsmassa = 1 Tablet per 10 kg

- Vir die beheer van *Toxocara*, moet tewe met kleintjies wat soog, na welp en dan elke 2 weke tot speen behandel word.
- Ontworming van jong hondjies behoort elke 2 weke, van die ouderdom van 2 tot 12 weke, plaas te vind en daarna met gereelde tussenposes van 3 maande om wurmbesmetting te beheer. Dit word aanbeveel dat die teef terselfdetyd behandel word.
- Vir algemene beheer behoort volwasse honde elke 3 maande behandel te word. In die geval van swaar rondewurm besmetting kan 'n tweede dosis na 14 dae toegedien word.

DOELTREFFENDHEID

• Hoogs doeltreffend teen:

Askariede (*Toxocara canis*)

Haakwurm (*Ancylostoma caninum*)

Lintwurms (*Diplylidium caninum*, *Taenia hydatigena*)

• Doeltreffend teen:

Whipworm (*Trichuris vulpis*)

Registrasiehouer:

BURKE ANIMAL HEALTH (Pty) Ltd

Mpy. Reg. No. 1996/00721/07

20 Marbella, 12 Strydom Street, Birchleigh North

1618, R.S.A.

Tel: 011 391 3275