

For external animal use only

**TERRAMYCIN® EYE POWDER**

Reg. No. 740 Act 36/1947

Namibia reg. no. NSR 0251

20 mg per g Oxytetracycline HCl

10 mg per g Benzocaine

For the treatment of infectious ophthalmia in cattle and sheep, and bacterial eye infections in animals.

Store in a cool, dry place.

Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

Directions for use: Use only as directed. Squeeze the container and blow powder directly into the affected eye. Repeat treatment 2 – 3 times daily until signs of acute inflammation are controlled, i.e. lacrimation, redness and pain have abated. Possible white discolouration of the cornea will gradually disappear by itself. Replace cap after use.

25 g

Pfizer Laboratories (Pty) Ltd  
Reg. No.: 1954/000781/07  
85 Bute Lane  
Sandton 2196

Manufactured by:  
Johnson and Johnson (Pty) Ltd  
241 Main Road, Retreat,  
Cape Town, South Africa

or Pfizer Egypt  
154-EL-Thawra st., Almaza,  
Heliopolis Cairo, Egypt

Batch No.

Expiry Date:

Manufacturing Date:



**Pfizer Animal Health**