

For animal use only .

VALBAZEN® FOR CATTLE

Reg. No. G444 (Act 36/1947)

Roundworm and Milk Tapeworm remedy for Cattle.

EFFICACY:

This list contains the more important endoparasite species. This anthelmintic may also be effective against other species. For more information consult your veterinarian.

1. ROUNDWORM EFFICACY:

Species	Immatures	Adults
Wireworm	*	*
Brown Stomachworm	*	*
Cattle Bankruptworm	*	*
Hookworm	*	*
Nodular Worm	*	*
Lungworm	-	*

Definition: * Control (≥ 90 % effective)

2. TAPEWORM EFFICACY:

Milk Tapeworm (<i>Moniezia</i> spp.)	Class 1
---------------------------------------	---------

Definition: Class 1: 100 % effective in more than 80 % of the treated flock.

PRODUCT

Contains: Albendazole 7,5 % m/v.

PRECAUTIONS

Poisonous, Store in a cool place

WARNINGS:

THE MILK OF TREATED ANIMALS MAY NOT BE USED FOR HUMAN CONSUMPTION OR MANUFACTURING PURPOSES OR MIXED WITH NORMAL MILK WITHIN 72 HOURS AFTER DOSING. DO NOT SLAUGHTER ANIMALS FOR HUMAN CONSUMPTION WITHIN 12 DAYS OF DOSING.

Keep out of the reach of children, uninformed persons and animals.

Although this remedy has been extensively tested under a large variety of conditions, failure thereof may ensue as a result of a wide range of reasons. If this is suspected, seek veterinary advice and notify the registration holder.

DIRECTIONS FOR USE:

Use only as directed. Shake before use.

DOSAGE:

The dose is 1 ml per 10 kg live mass, eg.

Mass	100 kg	150 kg	200 kg	250 kg	300 kg
Dose	10 ml	15 ml	20 ml	25 ml	30 ml
No. of doses per pack	2000	1333	1000	800	666

REGISTRATION HOLDER:

Pfizer Laboratories (Pty) Ltd
Reg no. 1954/000781/07
85 Bute Lane
P.O. Box 783720

SANDTON
2146